ELSEVIER

Physica C 226 (1994) 391–394

PHYSICA C

Author index to volume 226

Altshuler, E., see P. Muné **226**, 12
Andersson-Fäldt, A.M., M. Friesel, Z.G. Ivanov and C.G. Granqvist, Superconductivity of electrochemically lithiated $YBa_2Cu_3O_{7-\delta}$ thin films **226**, 143
Andreev, A.V., Yu.Ya. Divin, V.N. Gubankov, I.M. Kotelyanskii, V.B. Kravchenko, S.G. Zybtsev and E.A. Stepantsov, Josephson effects in $YBa_2Cu_3O_{7-x}$ grain-boundary junctions on (001) $NdGaO_3$ bicrystal substrates **226**, 17
Ansaldo, E.J., see C. Bernhard **226**, 250
Ashworth, S.P. and B.A. Glowacki, Anisotropic critical current densities of silver sheathed BSCCO-2223 tape **226**, 159
Ausloos, M., see A. Pękalski **226**, 188

Bąk, Z. and W. Gruhn, RKKY interaction in the metallic phase of copper oxides **226**, 341
Balakrishnan, G., see M. Grumann **226**, 288
Balestrino, G., see D.V. Livanov **226**, 320
Baran, M., see A. Nabiałek **226**, 345
Batlogg, B., see R.J. Cava **226**, 170
Behera, S.N., see D. Sa **226**, 85
Benacka, S., see S. Chromik **226**, 153
Bernhard, C., Ch. Niedermayer, U. Binninger, A. Hofer, J.L. Tallon, G.V.M. Williams, E.J. Ansaldo and J.I. Budnick, Doping dependence of the magnetic penetration depth in $(Yb_{1-x}Ca_x)(Ba_{1.6}Sr_{0.4})Cu_3O_{7-\delta}$ studied by muon spin rotation **226**, 250
Binninger, U., see C. Bernhard **226**, 250
Briant, C.L., see E.D. Specht **226**, 76
Bruynseraede, Y., see S. Chromik **226**, 153
Bryntse, I., $(Hg_{2/3}Tl_{4/3})Ba_2CaCu_2O_{8+\delta}$, a 2212 type superconductor **226**, 184
Bucci, C., see S.G. Jang **226**, 301
Budnick, J.I., see C. Bernhard **226**, 250

Carter, S., see R.J. Cava **226**, 170
Cava, R.J., B. Batlogg, J.J. Krajewski, W.F. Peck Jr., T. Siegrist, R.M. Fleming, S. Carter, H. Takagi, R.J. Felder, R.B. Van Dover and L.W. Rupp Jr., Stabilization of superconducting $LnPt_2B_2C$ by partial substitution of gold for platinum **226**, 170
Cava, R.J., see H.W. Zandbergen **226**, 365
Chang, C.T., see S.J. Wuu **226**, 37
Chang, H., see Y.T. Ren **226**, 209
Chen, D.H., see S.J. Wuu **226**, 37
Chen, Z.Y., see S. Wang **226**, 121
Cheng, C.H., see S.J. Wuu **226**, 37
Chromik, S., B. Wuyts, I. Vavra, A. Rosova, F. Hanic, S. Benacka and Y. Bruynseraede, Epitaxial $YBa_2Cu_3O_7$ superconducting films, without twin planes on Y_2O_3/YSZ/Si **226**, 153
Chu, C.W., see Y.T. Ren **226**, 209
Chu, C.W., see L.W. Finger **226**, 216
Cobb, J.L. and J.T. Markert, Reversible magnetization measurements of the anisotropic superconducting parameters of the infinite-layer electron-doped compound $Sr_{0.90}La_{0.10}CuO_2$. Apparent anisotropy crossover **226**, 235
Cohen, D.D., see J.W. Martin **226**, 279
Conder, K., see G. Ruani **226**, 101
Crusellas, M.A., J. Fontcuberta and S. Piñol, Anisotropic low-temperature magnetoresistivity in the normal state of $L_{2-x}Ce_xCuO_4$ single crystals **226**, 311

D'Anna, G., see M.V. Indenbom **226**, 325
Das, G.P., see H.G. Salunke **226**, 385
DeLuca, J.A., see E.D. Specht **226**, 76
De Renzi, R., see S.G. Jang **226**, 301
Dhar, S.K., see H.G. Salunke **226**, 385
Divin, Yu.Ya., see A.V. Andreev **226**, 17
Doi, T.J., see B.I. Lee **226**, 377
Downs, R.T., see L.W. Finger **226**, 216
Drulis, H., see A.D. Shengelaya **226**, 147
Dupree, R., see Z.P. Han **226**, 106

Eckstein, Y., see A. Trokiner **226**, 43
Edwards, P.P., see Z.P. Han **226**, 106
Elokhina, L.V., see E.Z. Kurmaev* **226**, 58
Evans, P.J., see J.W. Martin **226**, 279

Fedorenko, V.V., see E.Z. Kurmaev* **226**, 58
Felder, R.J., see R.J. Cava **226**, 170
Finger, L.W., R.M. Hazen, R.T. Downs, R.L. Meng and C.W. Chu, Crystal chemistry of $HgBa_2CaCu_2O_{8+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$. Single-crystal X-ray diffraction results **226**, 216
Fink, C., see K. Kragler **226**, 125
Finkelstein, L.D., see E.Z. Kurmaev* **226**, 58
Fleming, R.M., see R.J. Cava **226**, 170
Fontcuberta, J., see M.A. Crusellas **226**, 311
Forkl, A., see M.V. Indenbom **226**, 325
Friesel, M., see A.M. Andersson-Fäldt **226**, 143

Fujiyoshi, T., see K. Yamafuji **226**, 133
Fukuhara, M., see T. Nojima **226**, 293

Gamayunov, K., I. Tanaka and H. Kojima, The dependence of Ce incorporation on the effective distribution coefficient of Ce in $Nd_{2-x}Ce_xCuO_4$ single crystals grown by the TSFZ method **226**, 262
García, S., see P. Muné **226**, 12
Geiser, U., see P.M. Keane **226**, 353
Gippius, A., see A. Trokiner **226**, 43
Gładczuk, L., see A. Nabiałek **226**, 345
Glowacki, B.A., see S.P. Ashworth **226**, 159
Goldschmidt, D., see A. Trokiner **226**, 43
Goren, S.D., see I. Harrington **226**, 255
Goyal, A., see E.D. Specht **226**, 76
Granqvist, C.G., see A.M. Andersson-Fäldt **226**, 143
Gruhn, W., see Z. Bąk **226**, 341
Grumann, M., G. Balakrishnan, C.V. Tomy and D.M. Paul, Superconducting properties of Ba(Pb, Bi)O_3 single crystals and melt-processed (Ba, K)BiO_3 **226**, 288
Gubankov, V.N., see A.V. Andreev **226**, 17
Guidi, G., see S.G. Jang **226**, 301

Habermeier, H.-U., see M.V. Indenbom **226**, 325
Han, Z.P., R. Dupree, R.S. Liu and P.P. Edwards, ^{63}Cu NMR shift and relaxation behavior in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ (T_c=125 K) **226**, 106
Hanic, F., see S. Chromik **226**, 153
Harrington, I., C. Korn, S.D. Goren, H. Shaked and G. Kimmel, X-ray diffraction study of the influence of hydrogen on the crystallographic structure of $H_xYBa_2Cu_3O_{7-\delta}$ **226**, 255
Hartmann, A., see J.W. Martin **226**, 279
Hazen, R.M., see L.W. Finger **226**, 216
Heinmaa, I., see A. Trokiner **226**, 43
Hilscher, G., see H. Michor **226**, 1
Hinks, D.G., see P.M. Keane **226**, 353
Hofer, A., see C. Bernhard **226**, 250
Holubar, T., see H. Michor **226**, 1
Horiuchi, S., see A. Ono **226**, 360

Indenbom, M.V., A. Forkl, B. Ludescher, H. Kronmüller, H.-U. Habermeier, B. Leibold, G. D'Anna, T.W. Li, P.H. Kes and A.A. Menovsky, Anisotropy of perpendicular field penetration into high-T_c superconductors induced by strong longitudinal field **226**, 325
Ito, W., see M. Kato **226**, 243
Ivanov, Z.G., see A.M. Andersson-Fäldt **226**, 143

Jang, S.G., C. Bucci, R. De Renzi, G. Guidi, M. Varotto, C. Segre and P. Radaelli, Low-energy spin fluctuations in $YBa_2Cu_3O_{6.1}$ and $ErBa_2Cu_3O_{6+x}$. A Cu(1) T_1 NQR study **226**, 301

Kaldis, E., see G. Ruani **226**, 101
Kato, M., W. Ito, Y. Koike, T. Noji and Y. Saito, Dependence of T_c on the excess oxygen content δ in $Bi_2Sr_2CaCu_2O_{8+\delta}$ annealed under high pressures of oxygen **226**, 243
Katsaros, A., see N. Savvides **226**, 23
Kawashima, T., see H. Kumakura **226**, 222
Keane, P.M., D.G. Hinks, U. Geiser and J.M. Williams, Synthesis, single-crystal structure, and superconductivity of the rubidium-substituted La_2CuO_4 **226**, 353
Keller, H., see G. Ruani **226**, 101
Kes, P.H., see M.V. Indenbom **226**, 325
Kimmel, G., see I. Harrington **226**, 255
Kishio, K., see K. Yamafuji **226**, 133
Kizu, T., see K. Osamura **226**, 113
Klamut, J., see A.D. Shengelaya **226**, 147
Klauda, M., see K. Kragler **226**, 125
Kobayashi, T., see K. Yamafuji **226**, 133
Koike, Y., see M. Kato **226**, 243
Kojima, H., see K. Gamayunov **226**, 262
Korn, C., see I. Harrington **226**, 255
Koshizuka, N., see T. Machi **226**, 227
Kotelyanskii, I.M., see A.V. Andreev **226**, 17
Kragler, K., M. Klauda and C. Fink, Influence of 30 MeV ^{32}S irradiation on the electronic states of $Ln_{2-x}Ce_xCuO_{4-\delta}$ cuprates **226**, 125
Krajewski, J.J., see R.J. Cava **226**, 170
Krajewski, J.J., see H.W. Zandbergen **226**, 365
Kravchenko, V.B., see A.V. Andreev **226**, 17
Kroeger, D.M., see E.D. Specht **226**, 76
Kronmüller, H., see M.V. Indenbom **226**, 325
Kukhta, N.P., see P.B. Mozhaev **226**, 53
Kumakura, H., K. Togano, T. Kawashima and E. Takayama-Muromachi, Critical current densities and irreversibility lines of new oxycarbonate superconductors $(Cu_{0.5}C_{0.5})Ba_2Ca_{n-1}Cu_nO_{2n+3}$ (n=3, 4) **226**, 222
Kurmaev*, E.Z., V.V. Fedorenko, L.V. Elokhina, L.D. Finkelstein and T.B. Popova, X-ray emission spectra and analysis of F-doping of Bi2212 compound **226**, 58
Kuwasawa, Y., see T. Nojima **226**, 293

Lang, W., Influence of a distribution of critical temperatures on the paraconductivity and the fluctuation magnetoconductivity in high-temperature superconductors **226**, 267
Lee, B.I., T.J. Doi and T. Yuasa, Strontium-rich Tl-1223 superconductor films from acetate sol **226**, 377
Leibold, B., see M.V. Indenbom **226**, 325
Le Noc, L., see A. Trokiner **226**, 43
Li, T.W., see M.V. Indenbom **226**, 325
Liu, R.S., see Z.P. Han **226**, 106
Liu, T.W., see S.J. Wuu **226**, 37
Livanov, D.V., G. Balestrino and M. Montuori, Analysis of the resistive transition in $Bi_2Sr_2CaCu_2O_{8+\delta}$ epitaxial thin films **226**, 320
Ludescher, B., see M.V. Indenbom **226**, 325
Lütgemeier, H., see A. Trokiner **226**, 43

Machi, T., I. Tomeno, K. Tai, N. Koshizuka and H. Yasuoka, Carrier concentration dependences of the nuclear spin–

lattice relaxation rate and the Knight shift in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **226**, 227
Manthiram, A. and Y.T. Zhu, On the absence of superconductivity in $Gd_{2-x}Ce_xCuO_4$ **226**, 165
Markert, J.T., see J.L. Cobb **226**, 235
Martin, J.W., G.J. Russell, D.D. Cohen, P.J. Evans and A. Hartmann, The composition, distribution and superconductivity of nickel-implanted single-crystal $YBa_2Cu_3O_{7-\delta}$ **226**, 279
Matsuno, T., see K. Yamafuji **226**, 133
Meilikhov, E.Z., Intergrain boundary asymmetry and the critical current of HTSC ceramics **226**, 69
Meng, R.L., see L.W. Finger **226**, 216
Menovsky, A.A., see M.V. Indenbom **226**, 325
Michor, H., M. Vybornov, T. Holubar, W. Perthold, G. Schaudy, G. Hilscher and P. Rogl, The effect of chemical pressure upon the magnetism of $(Ba_{1-x}Sr_x)_2PrNbCu_2O_8$ **226**, 1
Mikhalev, K., see A. Trokiner **226**, 43
Miyake, K., see T. Tsuji **226**, 333
Montuori, M., see D.V. Livanov **226**, 320
Morosin, B., E.L. Venturini, J.E. Schirber and P.P. Newcomer, Annealing studies on Hg-containing materials **226**, 175
Mozhaev, P.B., N.P. Kukhta, G.A. Ovsyannikov and O.V. Uvarov, BiSrCaCuO whiskers structure and DC properties **226**, 53
Muccini, M., see G. Ruani **226**, 101
Müller, K.A., see G. Ruani **226**, 101
Muné, P., E. Altshuler, J. Musa, S. García and R. Riera, Hysteresis in the $J_c(B_a)$ dependence of (Bi–Pb)–Sr–Ca–Cu–O polycrystalline superconductors **226**, 12
Musa, J., see P. Muné **226**, 12

Nabiałek, A., A. Wiśniewski, M. Baran, S. Piechota, L. Gładczuk and H. Szymczak, Annealing of defects in fast neutron irradiated $YBa_2Cu_3O_x$ ceramics. Magnetic and microwave studies **226**, 345
Narikiyo, O., see T. Tsuji **226**, 333
Newcomer, P.P., see B. Morosin **226**, 175
Niedermayer, Ch., see C. Bernhard **226**, 250
Noji, T., see M. Kato **226**, 243
Nojima, T., E. Touma, M. Fukuhara and Y. Kuwasawa, Superconducting properties and preferred orientations of epitaxial growth in V/Cr multilayers **226**, 293

Oku, T., see K. Osamura **226**, 113
Ono, A., S. Horiuchi and M. Tsutsumi, High-pressure synthesis of bismuth oxycarbonate $Bi_2(Bi, Sr, Ca)_6Ca(Cu, C)_4C_2O_Z$ **226**, 360
Osamura, K., T. Kizu and T. Oku, Critical current density in $YBa_2Cu_3O_{6+x}$ added with perovskite type impurity **226**, 113
Ovsyannikov, G.A., see P.B. Mozhaev **226**, 53

Paul, D.M., see M. Grumann **226**, 288
Peck Jr. , W.F., see R.J. Cava **226**, 170
Peck Jr., W.F., see H.W. Zandbergen **226**, 365
Pękalski, A. and M. Ausloos, Monte Carlo simulation of oxygen diffusion in planar model of 123 YBCO Low-temperature regime and effect of trapping barrier **226**, 188
Perthold, W., see H. Michor **226**, 1
Piechota, S., see A. Nabiałek **226**, 345
Piñol, S., see M.A. Crusellas **226**, 311
Popova, T.B., see E.Z. Kurmaev* **226**, 58

Qian, Y., see S. Wang **226**, 121

Radaelli, P., see S.G. Jang **226**, 301
Raj, P., see H.G. Salunke **226**, 385
Ravinder Reddy, R., B.V. Reddi and P. Venugopal Reddy, A theoretical study of anomalous elastic behaviour of Na-doped Y-1-2-3 high-T_c superconductor **226**, 61
Reddi, B.V., see R. Ravinder Reddy **226**, 61
Ren, Y.T., H. Chang, Q. Xiong, Y.Y. Xue and C.W. Chu, Raman and thermal-stability studies on annealed $HgBa_2CuO_{4+\delta}$ **226**, 209
Riera, R., see P. Muné **226**, 12
Rogl, P., see H. Michor **226**, 1
Rosova, A., see S. Chromik **226**, 153
Ruani, G., C. Taliani, M. Muccini, K. Conder, E. Kaldis, H. Keller, D. Zech and K.A. Müller, Apex anharmonicity observed by Raman scattering in ^{18}O substituted $YBa_2Cu_3O_{6+x}$ **226**, 101
Rupp Jr. , L.W., see R.J. Cava **226**, 170
Russell, G.J., see J.W. Martin **226**, 279

Sa, D. and S.N. Behera, Raman scattering in a correlated superconductor II. A finite temperature study **226**, 85
Sahni, V.C., see H.G. Salunke **226**, 385
Saito, Y., see M. Kato **226**, 243
Salunke, H.G., G.P. Das, P. Raj, V.C. Sahni and S.K. Dhar, Band filling and superconductivity in Zr_2M compounds **226**, 385
Savvides, N. and A. Katsaros, Growth and evolution of microstructure of epitaxial $YBa_2Cu_3O_{7-x}$ ultrathin and thin films on MgO **226**, 23
Schaudy, G., see H. Michor **226**, 1
Schirber, J.E., see B. Morosin **226**, 175
Segre, C., see S.G. Jang **226**, 301
Shaked, H., see I. Harrington **226**, 255
Sheen, S.R., see S.J. Wuu **226**, 37
Shengelaya, A.D., H. Drulis, J. Klamut, A. Zygmunt and N.M. Suleĭmanov, Effect of hydrogen on the transition temperature in $La_{2-x}Sr_xCuO_4$ high-T_c superconductors from underdoped to overdoped regimes **226**, 147
Siegrist, T., see R.J. Cava **226**, 170
Sloof, W.G., see H.W. Zandbergen **226**, 365
Specht, E.D., A. Goyal, D.M. Kroeger, J.A. DeLuca, J.E. Tkaczyk, C.L. Briant and J.A. Sutliff, X-ray microdiffraction analysis of mm-scale orientational correlations in Tl-1223 high-critical-current, high-temperature superconducting films **226**, 76
Stepantsov, E.A., see A.V. Andreev **226**, 17
Suleĭmanov, N.M., see A.D. Shengelaya **226**, 147

Sutliff, J.A., see E.D. Specht **226**, 76
Szymczak, H., see A. Nabiałek **226**, 345

Tai, K., see T. Machi **226**, 227
Takagi, H., see R.J. Cava **226**, 170
Takayama-Muromachi, E., see H. Kumakura **226**, 222
Taliani, C., see G. Ruani **226**, 101
Tallon, J.L., see C. Bernhard **226**, 250
Tanaka, I., see K. Gamayunov **226**, 262
Tang, K., see S. Wang **226**, 121
Tkaczyk, J.E., see E.D. Specht **226**, 76
Togano, K., see H. Kumakura **226**, 222
Toko, K., see K. Yamafuji **226**, 133
Tomeno, I., see T. Machi **226**, 227
Tomy, C.V., see M. Grumann **226**, 288
Touma, E., see T. Nojima **226**, 293
Trokiner, A., L. Le Noc, K. Mikhalev, A. Yakubovskii, H. Lütgemeier, I. Heinmaa, A. Gippius, S. Verkhovskii, D. Goldschmidt and Y. Eckstein, Structural properties of $CaBaLaCu_3O_y$ studied by NMR/NQR method **226**, 43
Tsuji, T., O. Narikiyo and K. Miyake, Charge-fluctuation mediated d_{xy} pairing for high-T_c superconductivity **226**, 333
Tsutsumi, M., see A. Ono **226**, 360

Uvarov, O.V., see P.B. Mozhaev **226**, 53

Van Dover, R.B., see R.J. Cava **226**, 170
Varotto, M., see S.G. Jang **226**, 301
Vavra, I., see S. Chromik **226**, 153
Venturini, E.L., see B. Morosin **226**, 175
Venugopal Reddy, P., see R. Ravinder Reddy **226**, 61
Verkhovskii, S., see A. Trokiner **226**, 43
Vybornov, M., see H. Michor **226**, 1

Wang, S., K. Tang, Y. Qian, P. Yang, Z.Y. Chen, W. Yu and G.E. Zhou, A new type of layered cuprates with 1222 structure. $(CdCe)Sr_2(LnCeSr)_2Cu_2O_y$ (Ln=Nd, Y) **226**, 121
Williams, G.V.M., see C. Bernhard **226**, 250
Williams, J.M., see P.M. Keane **226**, 353
Wiśniewski, A., see A. Nabiałek **226**, 345
Wu, M.K., see S.J. Wuu **226**, 37
Wuu, S.J., D.H. Chen, T.W. Liu, C.H. Cheng, C.T. Chang, S.R. Sheen and M.K. Wu, The superconducting properties and crystal structure of $YSr_2(Cu_{0.9}Ti_{0.1})_3O_{7+\delta}$ **226**, 37
Wuyts, B., see S. Chromik **226**, 153

Xiong, Q., see Y.T. Ren **226**, 209
Xue, Y.Y., see Y.T. Ren **226**, 209

Yakubovskii, A., see A. Trokiner **226**, 43
Yamafuji, K., T. Fujiyoshi, K. Toko, T. Matsuno, T. Kobayashi and K. Kishio, On the magnetic field dependence of critical current density in single crystals of high-T_c superconductors **226**, 133
Yang, P., see S. Wang **226**, 121
Yasuoka, H., see T. Machi **226**, 227
Yu, W., see S. Wang **226**, 121
Yuasa, T., see B.I. Lee **226**, 377

Zandbergen, H.W., W.G. Sloof, R.J. Cava, J.J. Krajewski and W.F. Peck Jr., Electron microscopy on $YPd_5B_3C_x$, $x=0$ or 0.35 **226**, 365
Zech, D., see G. Ruani **226**, 101
Zhou, G.E., see S. Wang **226**, 121
Zhu, Y.T., see A. Manthiram **226**, 165
Zybtsev, S.G., see A.V. Andreev **226**, 17
Zygmunt, A., see A.D. Shengelaya **226**, 147

ELSEVIER

Physica C 226 (1994) 395–396

PHYSICA C

Analytic Subject Index to Volume 226

Acetate sol 377
AC susceptibility 113
Anisotropic superconductor 133, 184, 235, 311, 325, 333
Apex anharmonicity 101
Apical oxygen 209
Applications of high-T_c superconductors 17, 159

Charge fluctuations 333
Coherence length 235
Copper oxycarbonate 360
Correlated metallic state 85
Critical current density 12, 69, 76, 113, 133, 159, 222, 377
Critical fields 235
Critical state model 325
Cr magnetism 293
Cu–O chains 250
Cu–O planes 255

Dimensional crossover 293
D-wave superconductor 333

Elastic properties of Y-1-2-3 61
Electrical resistivity 53, 121, 267, 320
Electronic structure
–of $Ln_{2-x}Ce_xCuO_{4-\delta}$ 125
–of Zr_2M 385
Electron–phonon coupling 85, 385
Excess oxygen 243

Fluctuation effects 267, 320
Flux pinning 113, 133

Grain alignment 76, 377
Grain boundaries 17, 69
Granular superconductivity 69, 159, 346

High-pressure effect 360
Hole concentration 147, 243, 250, 301
HREM 23, 360, 365
Hydrogen-doped superconductors 147
Hydrogen doping 255

Infinite-layer compound 235
Intercalation 143
Irradiation effect 125, 346
Irreversibility field 222

Josephson effect 17

Knight shift 227

Lattice parameters 353, 365
–of $H_xYBa_2Cu_3O_{7-\delta}$ 255
–of $LnPt_2B_2C$ 170
Layered electron gas structure 341
Layered superconductor 133

Magnetic susceptibility 1, 37, 106, 170, 175
Magnetization 222, 288, 346
Magneto-optical technique 325
Magnetoresistance 267
–of $L_{2-x}Ce_xCuO_4$ (L=Pr, Sm, Nd) 311
Metal complex 377
Microwave absorption 346
Monte Carlo simulations 188
Multilayers 293
Muon spin rotation 250

NMR 43
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 106
Normal-state properties 311
NQR 43, 227, 301

O–T transition 255
Oxycarbonate superconductor 222
Oxygen diffusion 188
Oxygen ordering 61
Oxygen stoichiometry 165, 175, 216, 279, 288

Penetration depth 235, 250
Phase diagram
–of $La_{2-x}Sr_xCuO_4$ 147
Phonon spectrum 85
–of $YBa_2Cu_3O_{6+x}$ 101
Pseudo gap 106

Quantum size effect 53

Raman scattering 85, 101
RKKY interaction 341
Rutherford backscattering 279

Specific heat 1, 385
Spin-gap 227
Spin-lattice relaxation time T_1 106, 301
Structure
–of $CaBaLaCu_3O_y$ 43
–of $Hg_{2/3}Tl_{4/3}Ba_2CaCu_2O_{8+\delta}$ 184
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 216
–of $HgBa_2CaCu_2O_{6+\delta}$ 216
–of $La_{2-x}Rb_xCuO_4$ 353
–of $Ln_{2-x}Ce_xCuO_4$ 165
–of $Nd_{2-x}Ce_xCuO_4$ 262
–of $YPd_5B_3C_x$ 365
–of $YSr_2(Cu_{0.9}Ti_{0.1})_3O_{7+\delta}$ 37
Structure of thin films 153
Substitution effects
–in $(Ba_{1-x}Sr_x)_2PrNbCu_2O_8$ 1
–in $Bi_2Sr_2CaCu_2O_y$ 58
–in $L_{2-x}Ce_xCuO_4$ (L=Pr, Sm, Nd) 311
–in $La_{2-x}Rb_xCuO_4$ 353
–in $Ln_{2-x}Ce_xCuO_4$ 165
–in $LnPt_2B_2C$ 170
–in $YBa_2Cu_3O_{7-\delta}$ 143, 279
Surface microstructure 23
Synthesis
–of $BaPb_{1-x}Bi_xO_3$ 288
–of $Bi_2(Bi,Sr,Ca)_6Ca(Cu,C)_4C_2O_z$ 360
–of $(CdCe)Sr_2(LnCeSr)_2Cu_2O_y$ (Ln=Nd,Y) 121
–of $Hg_{2/3}Tl_{4/3}Ba_2CaCu_2O_{8+\delta}$ 184
–of $HgBa_2Ca_nCu_{n+1}O_{4+2n+\delta}$ 175
–of $HgBa_2CuO_{4+\delta}$ 209
–of $LnPt_2B_2C$ 170
–of $Nd_{2-x}Ce_xCuO_4$ 262
–of $YBa_2Cu_3O_{7-\delta}$ 279
–of $YBa_2Cu_3O_{7-x}$ 23

–of $YSr_2(Cu_{0.9}Ti_{0.1})_3O_{7+\delta}$ 37

Thin films 143, 325
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 320
–of $Tl_{1-y}Ba_2Ca_2Cu_3O_x$ 76
–of $YBa_2Cu_3O_{7-x}$ 23
Twin boundaries 153

Ultrasound attenuation 61
Upper critical field 293

Weak links 12
Whiskers 53

XPS 58
–of $Ln_{2-x}Ce_xCuO_{4-\delta}$ 125

X-ray diffraction 1, 76, 121, 216, 279, 353